

Welcome to Shell

The Command Line Interface
to the Linux Operating System

What You Will Learn

- What the shell is.
- How to access the shell.
- What the superuser account is.

What Is the Shell?

- The default interface to Linux

```
[jason@macdesktop ~]$ ssh linuxsvr
jason@192.168.122.60's password:
Last login: Sun Feb  2 19:27:15 2014 from 192.168.122.1
[jason@linuxsvr ~]$
```

CentOS release 6.5 (Final)
Kernel 2.6.32-431.el6.i686 on an i686

linuxsvr login: jason
Password:
[jason@linuxsvr ~]\$

- Accessories >
- Graphics >
- Internet >
- Sound & Video >

- System Tools >
 - Disk Utility
 - File Browser
 - Terminal

jason's Home



Trash



terminal

Applications



Terminal



UXTerm



XTerm



[Legal notice](#)

What Is the Shell?

- The default interface to Linux
- A program that accepts your commands and executes those commands

What Is the Shell?

- The default interface to Linux
- A program that accepts your commands and executes those commands
- Also called a command line interpreter

Command Line Interface vs a GUI

- The command line is more powerful.
- There will always be a command line.
- Server distributions do not include GUIs.
- Desktop distributions have GUIs and CLIs.

WIKIPEDIA

English

The Free Encyclopedia

4 433 000+ articles

Español

La enciclopedia libre

1 075 000+ artículos

日本語

フリー百科事典

892 000+ 記事

Deutsch

Die freie Enzyklopädie

1 680 000+ Artikel

Português

A enciclopédia livre

817 000+ artigos

Polski

Wolna encyklopedia

1 025 000+ hasel

Русский

Свободная энциклопедия

1 083 000+ статей

Français

L'encyclopédie libre

1 470 000+ articles

Italiano

L'enciclopedia libera

1 094 000+ voci

中文

自由的百科全书

747 000+ 條目



English



Find Wikipedia in a language:



1 000 000+

[Deutsch](#) • [English](#) • [Español](#) • [Français](#) • [Italiano](#) • [Nederlands](#) • [Polski](#) • [Русский](#) • [Svenska](#)

The Prompt

```
[jason@linuxsvr ~]$
```

The Prompt

```
[jason@linuxsvr ~]$
```

```
[root@linuxsvr:~] #
```

Root, the Superuser

- Root is all powerful.
- Normal accounts can only do a subset of the things root can do.

Root, the Superuser

- Root access is typically restricted to system administrators.
- Root access may be required to to install, start, or stop an application.
- Day to day activities will be performed using a normal account.

The Prompt

```
jason@linuxsvr $  
[jason@linuxsvr /tmp]$  
linuxsvr:/home/jason>  
jason@linuxsvr:~>  
[16:45:51 linuxsvr ~]$  
$  
%  
>
```


Tilde Expansion

- `~jason` = `/home/jason`
- `~pat` = `/home/pat`
- `~root` = `/root`
- `~ftp` = `/srv/ftp`

Multi-Line Prompts

```
linuxsvr: [/home/jason]  
$
```

```
[Mon 14/02/18 18:22 EST] [pts/0]  
<jason@linuxsvr:~>  
zsh 14 %
```

Summary

- The shell is the default user interface.
- Use the terminal application to get to the CLI.
- Shell prompts can vary greatly in appearance.
- Root is the superuser.